

5MP Cameras

Camera - Network	XND-8081REV	SMP Indoor Dome, PoE extender camera	POE+ Required	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm - 9.4mm), triple code H.265H.264/MJPEG with WiseStream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), PoE/PoE+, IP52, IK10, -25°C ~ +40°C (13°F ~ +104°F)	\$ 1,600.00	8801089187741
Camera - Network	XNV-8081RE	SMP Outdoor Dome, PoE extender camera	POE+ Required	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized varifocal lens (3.9mm - 9.4mm), triple code H.265H.264/MJPEG with WiseStream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), PoE/PoE+, IP66/IP67/IP69K/IK10, NEMA 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,850.00	8801089187866
Camera - Network	XNV-8081R	SMP IR Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,800.00	8801089153647
Camera - Network	XND-8081RF	SMP IR Flush Mount Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,550.00	8801089153418
Camera - Network	XND-8081RV	SMP IR Indoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,650.00	8801089153463
Camera - Network	XNV-8081Z	SMP Outdoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), PTRZ, triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,850.00	8801089152732
Camera - Network	XND-8081VZ	SMP Indoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), PTRZ, triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,600.00	8801089152787
Camera - Network	XND-8081FZ	SMP Flush Mount PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5°-38.7°), PTRZ, triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K/IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,600.00	8801089152948
Camera - Network	XNF-8010R	X-Series Indoor IR Fisheye		Wisenet X powered by Wisenet 5 network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE	\$ 950.00	8801089106810
Camera - Network	XNF-8010RW	X-Series Indoor IR Fisheye (White Color)		Wisenet X powered by Wisenet 5 network indoor fisheye (white color), 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE, white color	\$ 950.00	8801089133441
Camera - Network	XNF-8010RV	X-Series Outdoor IR Fisheye		Wisenet X powered by Wisenet 5 network outdoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,050.00	8801089106827
Camera - Network	XNF-8010RVM	X-Series Mobile IR Fisheye		Wisenet X powered by Wisenet 5 network mobile vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089106834
Camera - Network	XNV-8080RSA	SMP Stainless Steel IR Dome	IP69K	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 5MP @30fps, motorized varifocal lens 2.4x (3.9-9.4mm) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67/IP69K/IK10, Nema 4X, IP69K, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 2,200.00	8801089172747
Camera - Network	XNV-8080R	SMP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, motorized varifocal lens 2.4x (3.9-9.4mm) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089091765 8801089100924
Camera - Network	XNV-8020R	SMP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089094917 8801089100959
Camera - Network	XNV-8030R	SMP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089095190 8801089100971
Camera - Network	XNV-8040R	SMP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089095110 8801089100758
Camera - Network	XNO-8080R	SMP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized varifocal lens 2.4x (3.9-9.4mm) (100.2°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, For Mobile Application, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089091758 8801089100963
Camera - Network	XNO-8020R	SMP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089094704 8801089100958
Camera - Network	XNO-8030R	SMP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089096306 8801089100989
Camera - Network	XNO-8040R	SMP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089096306 8801089100702
Camera - Network	XND-8080RV	SMP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized varifocal lens 2.4x (3.9-9.4mm) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,350.00	8801089091756 8801089100887
Camera - Network	XND-8020R	SMP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089094797 8801089100733
Camera - Network	XND-8030R	SMP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089095107 8801089100740
Camera - Network	XND-8040R	SMP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089095404 8801089100764
Camera - Network	XND-8020F	SMP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 5MP @ 30fps, 3.7mm fixed lens (97.5°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic DN, SD card, hallway view, H.LC, defog detection, DIS, PoE only	\$ 600.00	8801089102935
Camera - Network	XNB-8000	SMP Box		Wisenet X powered by Wisenet 5 network box camera, 5MP @30fps, simple focus, triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE	\$ 950.00	8801089091741 8801089100818
Camera - Network	QND-8010R	SMP IR Bullet		Wisenet O network outdoor vandal bullet camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089163332
Camera - Network	QND-8020R	SMP IR Bullet		Wisenet O network outdoor vandal bullet camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089164216
Camera - Network	QND-8030R	SMP IR Bullet		Wisenet O network outdoor vandal bullet camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089164735
Camera - Network	QND-8080R	SMP IR Bullet		Wisenet O network outdoor vandal bullet camera, 5MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10.0mm) (100°-31°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 680.00	8801089164278
Camera - Network	QNV-8010R	SMP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 470.00	8801089164360
Camera - Network	QNV-8020R	SMP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 470.00	8801089164513
Camera - Network	QNV-8030R	SMP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 470.00	8801089164658
Camera - Network	QNV-8080R	SMP IR Outdoor Dome		Wisenet O network outdoor vandal dome camera, 5MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10.0mm) (100°-31°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 680.00	8801089165046
Camera - Network	QND-8010R	SMP Indoor IR Dome		Wisenet O network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 370.00	8801089162931
Camera - Network	QND-8020R	SMP Indoor IR Dome		Wisenet O network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 370.00	8801089163004
Camera - Network	QND-8030R	SMP Indoor IR Dome		Wisenet O network indoor dome camera, 5MP @ 30fps, 6.0mm fixed focal lens (49°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 370.00	8801089163967
Camera - Network	QND-8080R	SMP Indoor IR Dome		Wisenet O network indoor dome camera, 5MP @ 30fps, motorized varifocal lens 3.1x (3.2 - 10.0mm) (100°-31°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 615.00	8801089163817
Camera - Network	QND-8011	SMP Indoor Dome		Wisenet O mini network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 370.00	8801089162540
Camera - Network	QND-8021	SMP Indoor Dome		Wisenet O mini network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (80°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 370.00	8801089162656
Camera - Network	QNE-8011R	SMP IR Outdoor Flat-Eye		Wisenet O mini network outdoor fisheye camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, open platform, IP67, IK10, PoE, white color	\$ 470.00	8801089163868
Camera - Network	QNE-8021R	SMP IR Outdoor Flat-Eye		Wisenet O mini network outdoor fisheye camera, 5MP @ 30fps, 4.0mm fixed focal lens (80°), triple code H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, open platform, IP67, IK10, PoE, white color	\$ 470.00	8801089166299
Camera - Network	QNF-8010	6MP Indoor fisheye		Wisenet O series network indoor fisheye dome camera, 6MP CMOS sensor, max resolution 2048x2048 @ 30fps, triple code H.265H.264/MJPEG with WiseStream II technology, WDR 120dB, business analytics (heatmap and people counting), built-in SD card slot, PoE	\$ 675.00	8801089153753
Camera - Network	TNV-8010C	SMP Compact corner mount camera		Compact corner mount camera, 5MP @ 30fps, triple code, WDR 120dB, 2.3mm fixed, USB and CVBS, true D/N, SD cards slots, hallway view, H.LC, defog detection, PoE, Audio/Video-out, Wisenet open platform, IP66, IP69K/IK10, video analytics-Defocus, Directional, Motion, Enter/Exit, Tampering, Virtual line, Audio	\$ 850.00	8801089193209

3MP Cameras

Camera - Network	TNV-7010RC	3MP IR Vandal Corner Camera		Wisenet T powered by Wisenet 5 network outdoor IR corner mount camera, SMP, 2048x1536 @ 30fps, 2.8mm fixed lens (102°-75°), 940nm IR 3x, built-in mic, triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and business analytics, simple SD card, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10	\$ 1,500.00	8801089150417
------------------	------------	-----------------------------	--	---	-------------	---------------

2MP Cameras

Wisenet WAVE Software	WAVE-ENC-04	WAVE, 4 channel encoder license	WAVE Encoder License. Enables up to 4 (4) recording channels, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00	849688010198
Wisenet WAVE Software	WAVE-IO-01	WAVE, IO module license	WAVE IO License. Enables one (1) I/O module, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00	849688010211
Wisenet WAVE Software	WAVE-EMB-04	WAVE, 4 channel embedded recorder	WAVE Embedded Recorder License. Enables four (4) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 110.00	849688010228
Wisenet WAVE Software	WAVE-EMB-08	WAVE, 8 channel embedded recorder	WAVE Embedded Recorder License. Enables eight (8) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 220.00	849688012024
Wisenet WAVE Software	WAVE-EMB-16	WAVE, 16 channel embedded recorder	WAVE Embedded Recorder License. Enables sixteen (16) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 440.00	849688010259
Wisenet WAVE Software	WAVE-EMB-32	WAVE, 32 channel embedded recorder	WAVE Embedded Recorder License. Enables thirty-two (32) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 880.00	849688010266
Wisenet WAVE Software	WAVE-EMB-64	WAVE, 64 channel embedded recorder	WAVE Embedded Recorder License. Enables sixty-four (64) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,760.00	849688010273
WAVE - Client	WWT-P-3201W	WAVE Client	2 Weeks Lead Time		
WAVE - Client	WWT-P-7401W	WAVE Client	2 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-2TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-4TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-6TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-8TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-12TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-18TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-1810S-24TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-1TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-2TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-4TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-6TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-8TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRN-810S-12TB	WAVE recording server with PoE+	3 Weeks Lead Time		
WAVE - Appliance	WRT-P-3100W-1TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-3100W-2TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-3101W-4TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-3101W-8TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-3101W-12TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-3101W-16TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-4TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-8TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-12TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-16TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-20TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-24TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRT-P-5201W-36TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-8TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-12TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-16TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-24TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-28TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-36TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-E200V2-48TB	WAVE Recording Server	2 Weeks Lead Time		
WAVE - Appliance	WRR-P-5202W1-16TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-20TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-24TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-28TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-32TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-40TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-48TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-64TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-80TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-96TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-108TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-120TB	WAVE recording server	2 weeks lead time		
WAVE - Appliance	WRR-P-5202W1-132TB	WAVE recording server	2 weeks lead time		

Recording - Network	XRN-321084	NVR	No HDD	8K NVR (Intel based), 32CH, 12TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 12TB or RAID 6: 8TB)	\$ 6,710.00	8801089180575
Recording - Network	XRN-321084-12TB	NVR		8K NVR (Intel based), 32CH, 12TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 12TB or RAID 6: 8TB)	\$ 8,150.00	849686016497
Recording - Network	XRN-321084-16TB	NVR		8K NVR (Intel based), 32CH, 16TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 16TB or RAID 6: 12TB)	\$ 8,630.00	849686016480
Recording - Network	XRN-321084-20TB	NVR		8K NVR (Intel based), 32CH, 20TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 20TB or RAID 6: 16TB)	\$ 9,110.00	849686016503
Recording - Network	XRN-321084-24TB	NVR		8K NVR (Intel based), 32CH, 24TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 24TB or RAID 6: 20TB)	\$ 9,590.00	849686016510
Recording - Network	XRN-321084-32TB	NVR		8K NVR (Intel based), 32CH, 32TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 32TB or RAID 6: 28TB)	\$ 10,550.00	849686016527
Recording - Network	XRN-321084-40TB	NVR		8K NVR (Intel based), 32CH, 40TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 40TB or RAID 6: 36TB)	\$ 11,510.00	849686016534
Recording - Network	XRN-321084-48TB	NVR		8K NVR (Intel based), 32CH, 48TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 48TB or RAID 6: 44TB)	\$ 12,470.00	849686016541
Recording - Network	XRN-321084-56TB	NVR		8K NVR (Intel based), 32CH, 56TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 56TB or RAID 6: 52TB)	\$ 13,430.00	849686016558
Recording - Network	XRN-321084-64TB	NVR		8K NVR (Intel based), 32CH, 64TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 64TB or RAID 6: 60TB)	\$ 14,390.00	849686016565
Recording - Network	XRN-321084-88TB	NVR		8K NVR (Intel based), 32CH, 88TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 88TB or RAID 6: 84TB)	\$ 17,270.00	849686016572
Recording - Network	XRN-321084-96TB	NVR		8K NVR (Intel based), 32CH, 96TB RAW, H.265/H.264/MPJE, ARB (Automatic Recovery Backup) & Fallover (N+1), 400Mbps recording/up to 32Mbps playback throughput (RAID Mode), Dual stream recording, 16 HD Swap HDD bays, ISCSI, redundant power, 2x HDMI dual display, Alarm I/O, 2-way audio, ONVIF, maximum camera resolution of 32MP recording/display and fisheye dewarping on WEB and CMS, Support RAID 5/6 (RAID 5: 96TB or RAID 6: 92TB)	\$ 18,230.00	849686016589
Recording - Network	XRN-162082	NVR	No HDD	8K NVR (Intel based), No HDD, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,750.00	8801089195862
Recording - Network	XRN-162082-2TB	NVR		8K NVR (Intel based), 2TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,990.00	849686017562
Recording - Network	XRN-162082-4TB	NVR		8K NVR (Intel based), 4TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,230.00	849686017579
Recording - Network	XRN-162082-8TB	NVR		8K NVR (Intel based), 8TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,710.00	849686017586
Recording - Network	XRN-162082-12TB	NVR		8K NVR (Intel based), 12TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,190.00	849686017593
Recording - Network	XRN-162082-16TB	NVR		8K NVR (Intel based), 16TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,670.00	849686017609
Recording - Network	XRN-162082-24TB	NVR		8K NVR (Intel based), 24TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 4,630.00	849686017616
Recording - Network	XRN-162082-30TB	NVR		8K NVR (Intel based), 30TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 5,350.00	849686017623
Recording - Network	XRN-162082-36TB	NVR		8K NVR (Intel based), 36TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 6,070.00	849686017630
Recording - Network	XRN-162082-48TB	NVR		8K NVR (Intel based), 48TB RAW, 16 channels, H265/H264, MJPEG, 8 fixed internal SATA HDDs (10TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 7,510.00	849686017647
Recording - Network	XRN-162082-51	NVR with PoE+	No HDD	8K NVR (Intel based), No HDD, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,934.00	8801089195971
Recording - Network	XRN-162082-12TB	NVR with PoE+		8K NVR (Intel based), 12TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,174.00	849686017654
Recording - Network	XRN-162082-14TB	NVR with PoE+		8K NVR (Intel based), 14TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,414.00	849686017661
Recording - Network	XRN-162082-8TB	NVR with PoE+		8K NVR (Intel based), 8TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,894.00	849686017678
Recording - Network	XRN-162082-112TB	NVR with PoE+		8K NVR (Intel based), 112TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,374.00	849686017685
Recording - Network	XRN-162082-16TB	NVR with PoE+		8K NVR (Intel based), 16TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,854.00	849686017692
Recording - Network	XRN-162082-24TB	NVR with PoE+		8K NVR (Intel based), 24TB RAW, 16 channels with 16 PoE+ ports (PoE Budget 200W), H265/H264, MJPEG, 4 fixed internal SATA HDDs (8TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMIVGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 4,814.00	849686017708

Encoders and Decoders

Network - Encoder	SPE-1620	16 Channel Encoder	Encoder, 16CH H.265/H.264/MPJE, 16p@ 2MP, AHD/CVI/CVBS compatible, RS-485/422 Interface, Pelco C when using CVBS or ACP-up-coax protocol @ AHD, ONVIF protocol support, HDMI output, I/O 16/4, Audio in/out 4/1, 12VDC	\$ 1,135.00	8801089207258
Network Switches and Transmission Devices					
Switch	SWT-P-162-480B	PoE+ Switch	(16) 10/100 PoE+ (30 Watt) Ports unmanaged switch, and (2) 10/100/1000 Combo RJ45/SFP Base-TX uplink ports, total power 480watt	\$ 1,100.00	044701000310
Switch	SWT-P-81-240	PoE+ Switch	(8) 10/100 PoE+ (30 Watt) Ports unmanaged switch, and (1) 10/100/1000 uplink port, total power 250watt	\$ 450.00	849686008720
Switch	SWT-P-162-240	PoE Switch	(16) 10/100 PoE (15 Watt) Ports unmanaged switch, and (2) 10/100/1000 uplink ports (RJ45 or SFP), total power 250watt	\$ 750.00	849686008730
Switch	SWT-P-242-360	PoE Switch	(16) 10/100 PoE (15 Watt) Ports unmanaged switch, and (2) 10/100/1000 uplink ports (RJ45 or SFP), total power 360watt	\$ 1,100.00	849686008744
Switch	SWT-P11GMHP	11 Port Hardened Managed Gigabit Ethernet Switch with 60W PoE	Hardened 11 Port - 2 x 100/1000/2500FX + 1 x 10/1000TX Ports Managed Switch, four 1000Mbps TX with 30W PoE, Four 100Mbps FX Combo Ports with 60W PoE, SFP Ports 480Watt (10A) DIN Rail High Temp Power Supply +40°C to +11°C (no fan) included	\$ 3,650.00	849686012307
Switch	SWT-P11MHP	11 Port Hardened Managed Megabit Ethernet Switch with 60W PoE	Hardened 3 FX SFP 100/1000/2500Mbps FX + 8 Port 10/100 PoE Ports Managed Switch 60 Watt PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply +40°C to +7°C With -40°C Start(Like) Included	\$ 3,100.00	849686012317
Transmission-Fiber	SBP-300HF	Fiber Optic for PTZ	RJ-45 to Fiber mounting accessory for PTZ XNP-6370RH, XNP-6200RH and QMP-6200H	\$ 269.00	896020734822
Transmission-Fiber	SBP-300HF	Fiber Optic for PTZ	RJ-45 to Fiber mounting accessory for PTZ XNP-6370RH, XNP-6550RH and QMP-6200H	\$ 269.00	88010891959817
Transmission-Fiber	SBP-300HF	Fiber Optic for PTZ	RJ-45 to Fiber mounting accessory for PTZ XNP-6370RH, XNP-6550RH and QMP-6200H	\$ 269.00	8801089195989
Transmission-Fiber	TMC-FST1M1ACM-A	Mini 100M Media Converter (A)	Hardened mini media fiber converter (A), 100Mbps, ST connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FST1M-B required to work as a pair	\$ 730.00	849686011932
Transmission-Fiber	TMC-FST1S1ACM-A	Mini 100M Media Converter (A)	Hardened mini media fiber converter (A), 100Mbps, ST connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FST1S-B required to work as a pair	\$ 850.00	849686011945
Transmission-Fiber	TMC-FST1M1POEM-A	100M Media Converter (A)	Hardened media fiber converter (A), 100Mbps, ST connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FST1M-B required to work as a pair	\$ 900.00	849686011959
Transmission-Fiber	TMC-FST1M1BPOEM-A	100M Media Converter (B)	Hardened media fiber converter (A), 100Mbps, ST connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FST1S-B required to work as a pair	\$ 1,025.00	849686011973
Transmission-Fiber	TMC-FST1S1B	100M Media Converter (B)	Hardened media fiber converter (B), cage mountable, 100Mbps, ST connector, single-mode, 1 fiber, power supply included, TMC-FST1M1ACM-A or TMC-FST1M1BPOEM-A required to work as a pair	\$ 730.00	849686011966
Transmission-Fiber	TMC-FST1S1B	100M Media Converter (B)	Hardened media fiber converter (B), cage mountable, 100Mbps, ST connector, single-mode, 1 fiber, power supply included, TMC-FST1S1ACM-A or TMC-FST1S1POEM-A required to work as a pair	\$ 850.00	849686011980
Transmission-Fiber	TMC-FSCM1ACM-A	Mini 100M Media Converter (A)	Hardened mini media fiber converter (A), 100Mbps, SC connector, multi-mode, 1 fiber, power supply included (not hardened), TMC-FSCM1-B required to work as a pair	\$ 730.00	849686011987
Transmission-Fiber	TMC-FSCS1ACM-A	Mini 100M Media Converter (A)	Hardened mini media fiber converter (A), 100Mbps, SC connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FSCS1-B required to work as a pair	\$ 850.00	849686012000
Transmission-Fiber	TMC-FSCM1POEM-A	100M Media Converter (A)	Hardened media fiber converter (A), 100Mbps, SC connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSCS1-B required to work as a pair	\$ 900.00	849686012017
Transmission-Fiber	TMC-FSCS1BPOEM-A	100M Media Converter (B)	Hardened media fiber converter (B), 100Mbps, SC connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSCM1BPOEM-A required to work as a pair	\$ 1,025.00	849686012024
Transmission-Fiber	TMC-FSCS1B	100M Media Converter (B)	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSCS1ACM-A or TMC-FSCM1POEM-A required to work as a pair	\$ 850.00	849686012048
Transmission-Fiber	TMC-SGSPM	Mini 100M Multi-Rate Media Converter	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSCS1ACM-A or TMC-FSCM1POEM-A required to work as a pair	\$ 1,125.00	849686012058
Transmission-Fiber	TMC-SGSPM	Mini 100M Multi-Rate Media Converter	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSCS1ACM-A or TMC-FSCM1POEM-A required to work as a pair	\$ 1,125.00	849686012066
Transmission-Fiber	TMC-SGSPM	Mini 100M Multi-Rate Media Converter	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSCS1ACM-A or TMC-FSCM1POEM-A required to work as a pair	\$ 1,125.00	849686012074
Transmission-Fiber	TMC-FSFP30E30M	Mini 100M Media Converter	Hardened 100Mbps Media Converter, SFP, 48V PoE, Power Supply Included, 39w output, SFP module required	\$ 760.00	849686012086
SFP Module	SFP-GR-R	SFP to RJ45	Copper 100/1000Mbps RJ45, MSA Compliant	\$ 225.00	849686012093
SFP Module	SFP-GLC1022	Multi Mode SFP module	100Mbps, 1310nm, 20m, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 160.00	849686012109
SFP Module	SFP-GLC15220	Single Mode SFP module	100Mbps, 1310nm, 20m, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 170.00	849686012126
SFP Module	SFP-FSCM102-A	Multi Mode SFP module A	100Mbps, 1310nm, 20m, SC, 1 Fiber, Pair with SFP-FSCM102-B, Multi Mode, MSA Compliant	\$ 260.00	849686012143
SFP Module	SFP-FSCM102-B	Multi Mode SFP module B	100Mbps, 1310nm, 20m, SC, 1 Fiber, Pair with SFP-FSCM102-A, Multi Mode, MSA Compliant	\$ 260.00	849686012150
SFP Module	SFP-FSCS120-A	Single Mode SFP module A	100Mbps, 1550nm, 20m, SC, 1 Fiber, Pair with SFP-FSCS120-B, Single Mode, MSA Compliant	\$ 260.00	849686012173
SFP Module	SFP-FSCS120-B	Single Mode SFP module B	100Mbps, 1550nm, 20m, SC, 1 Fiber, Pair with SFP-FSCS120-A, Single Mode, MSA Compliant	\$ 260.00	849686012184
SFP Module	SFP-GLC1215	Multi Mode SFP module	100Mbps, 1310nm, 20m, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 160.00	849686012161
SFP Module	SFP-GLC1215-2B	Single Mode SFP module B	100Mbps, 1310nm, 20m, LC, 2 Fiber, Pair with SFP-GLC1215-2A, Single Mode, MSA Compliant	\$ 385.00	849686012175
SFP Module	SFP-GLC1215-2A	Single Mode SFP module A	100Mbps, 1550nm, 20m, LC, 2 Fiber, Pair with SFP-GLC1215-2B, Single Mode, MSA Compliant	\$ 385.00	849686012188
SFP Module	SFP-GLC1215-2020	Multi Mode SFP module	100Mbps, 1310nm, 20m, LC, 2 Fiber, LC, Multi Mode, MSA Compliant	\$ 355.00	849686012192
Transmission-Accessory	SBP-C14	Carli Case Rack Mount	1 slot carli case rack, power supply included	\$ 1,025.00	849686012209
Transmission-Accessory	SBP-C03	3 Ubit Card Cage	3 slot card cage rack, power supply included	\$ 580.00	849686012215
Transmission-Accessory	SBP-C14P31	Rack Mount Power Supply	90-264 VAC 50/60Hz power supply for SBP-C14	\$ 580.00	849686012222
Transmission-Accessory	SBP-C14P1	1 Slot Blank Fiber Panel	1 slot blank fiber panel for SBP-C14 card cage	\$ 35.00	849686012238
Transmission-Accessory	SBP-C14P3	3 Slot Blank Fiber Panel	3 slot blank fiber panel for SBP-C14 card cage	\$ 35.00	849686012246

Transmission-Accessory	SBP-UDR	Universal DIN Rail Adaptor	4 weeks lead time	Universal DIN-Rail mount adapter kit that allow the Haraha product to be mounted on the adaptor in a vertical axis configuration	\$ 35.00	84868012253
Transmission-Network	TEUF-01	Single Channel over UTP	4 weeks lead time	Single-Channel Ethernet over UTP with Pass-through PoE	\$ 47.00	84868011890
Transmission-Network	TEUF-02	Single Channel over COAX	4 weeks lead time	Single-Channel Ethernet over Coax with Pass-through PoE	\$ 140.00	84868011967
Transmission-Network	TEUF-04	Four Channels over UTP	4 weeks lead time	Four-Channel Ethernet over UTP with Pass-through PoE	\$ 1,700.00	84868011871
Transmission-Network	TEUF-04	Four Channels over COAX	4 weeks lead time	Four-Channel Ethernet over CoAX with Pass-through PoE	\$ 1,650.00	84868011884
Transmission-Network	TEUF-16	16 Channels over UTP	4 weeks lead time	Sixteen-Channel Ethernet over UTP	\$ 4,300.00	84868011904
Transmission-Network	TEUF-16	16 Channels over COAX	4 weeks lead time	Sixteen-Channel Ethernet over CoAX with Pass-through PoE	\$ 4,850.00	84868011898
Transmission-Network	TER-F01	Ethernet Repeater	4 weeks lead time	100 Meter Ethernet Repeater Pass-Through PoE Power	\$ 385.00	84868011911
Transmission-Network	TER-F01PD	Ethernet Repeater	4 weeks lead time	100 Meter Ethernet Repeater External Power	\$ 385.00	84868011929
Analog High Definition Cameras						
Camera - Analog HD	HCF-8010V	5MP Analog HD Fisheye Camera	Pentabrid compatible	5MP (2595x1944) resolution, 20FPS @5MP, BLC, Day & Night (ICR), Digital Wide Dynamic Range, Coaxial communication (HD / SD mode), Selectable universal output (TVI / AHD / CVBS), IP66, IK10, Power 12VDC/24VAC	\$ 399.00	880108915645
Camera - Analog HD	HCB-7000A	4MP Wisenet HD+ Box Camera	Pentabrid compatible	Wisenet HD+ 4MP Box camera, AHD or CVBS formats are available, RS485 / Coaxial Control, true D/N, 24VAC/12VDC (Requires 4MP or higher CS Mount Lens)	\$ 180.00	8801089185204
Camera - Analog HD	HCO-7019RA	4MP Wisenet HD+ Bullet Camera	Pentabrid compatible	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	880108914603
Camera - Analog HD	HCO-7010RA	4MP Wisenet HD+ Bullet Camera	Pentabrid compatible	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10	\$ 200.00	880108918665
Camera - Analog HD	HCO-7020RA	4MP Wisenet HD+ Bullet Camera	Pentabrid compatible	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet, IP66/IK10	\$ 200.00	8801089184719
Camera - Analog HD	HCO-7030RA	4MP Wisenet HD+ Bullet Camera	Pentabrid compatible	Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet, IP66/IK10	\$ 200.00	880108914401
Camera - Analog HD	HCV-7070RA	4MP Wisenet HD+ Outdoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	8801089184984
Camera - Analog HD	HCV-7010RA	4MP Wisenet HD+ Outdoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10	\$ 200.00	8801089184863
Camera - Analog HD	HCV-7020RA	4MP Wisenet HD+ Outdoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet, IP66/IK10	\$ 200.00	880108914917
Camera - Analog HD	HCV-7030RA	4MP Wisenet HD+ Outdoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet, IP66/IK10	\$ 200.00	880108914937
Camera - Analog HD	HCD-7070RA	4MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 65 feet	\$ 270.00	8801089185022
Camera - Analog HD	HCD-7010RA	4MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet	\$ 180.00	8801089185099
Camera - Analog HD	HCD-7020RA	4MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC, IR distance 82 feet	\$ 180.00	8801089185211
Camera - Analog HD	HCD-7030RA	4MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true D/N, 12VDC, IR distance 98 feet	\$ 180.00	8801089185259
Camera - Analog HD	HCD-6321	2MP Wisenet HD+ Zoom Box	Pentabrid compatible	Wisenet HD+ 2MP zoom box, AHD or CVBS formats are available, true WDR (120dB), 32X optical zoom, RS485 / Coaxial Control (ACP), true D/N, 12VDC	\$ 575.00	8801089187314
Camera - Analog HD	HCB-6000	2MP Analog HD Box	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps box camera, AHD/TVI/CV/CS, 120 dB true WDR, RS485 / Coaxial Control, true D/N, 24VAC/12VDC, Requires 2MP or higher CS Mount Lens	\$ 180.00	8801089091789
Camera - Analog HD	HCB-6001	2MP Analog HD Box	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps box camera, AHD/TVI/CV/CS, 120 dB true WDR, RS485 / Coaxial Control, simple focus, true D/N, 24VAC/12VDC, Requires 2MP or higher CS Mount Lens	\$ 215.00	8801089094148
Camera - Analog HD	HCD-6010R	2MP Analog HD IR Indoor Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR indoor dome camera, AHD/TVI/CV/CS, manual Varifocal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet	\$ 270.00	8801089091116
Camera - Analog HD	HCD-6080R	2MP Analog HD IR Indoor Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR indoor dome camera, AHD/TVI/CV/CS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet	\$ 320.00	8801089094261
Camera - Analog HD	HCD-6010	2MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 2MP indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC	\$ 180.00	8801089155902
Camera - Analog HD	HCD-6020R	2MP Wisenet HD+ Indoor Dome Camera	Pentabrid compatible	Wisenet HD+ 2MP IR indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC	\$ 210.00	8801089155306
Camera - Analog HD	HCV-6070R	2MP Wisenet HD+ Outdoor Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR outdoor dome camera, AHD/TVI/CV/CS, manual Varifocal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	8801089091478
Camera - Analog HD	HCV-6080R	2MP Analog HD IR Outdoor Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR outdoor dome camera, AHD/TVI/CV/CS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 350.00	8801089094339
Camera - Analog HD	HCO-6070R	2MP Analog HD IR Bullet	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR outdoor bullet camera, AHD/TVI/CV/CS, manual Varifocal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	8801089091827
Camera - Analog HD	HCO-6020R	2MP Wisenet HD+ Bullet Camera	Pentabrid compatible	Wisenet HD+ 2MP IR bullet camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC	\$ 210.00	8801089155382
Camera - Analog HD	HCO-6080R	2MP Analog HD IR Bullet	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR outdoor bullet camera, AHD/TVI/CV/CS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 350.00	8801089096708
Camera - Analog HD	HCP-6320A	AHD PTZ	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps PTZ camera, Optical zoom lens 32X (4.4-142.6mm), true WDR 120dB, RS485 Up coax (ACP protocol only) PTZ control, true D/N, 24VAC	\$ 1,270.00	8801089096258
Camera - Analog HD	HCP-6320B	AHD PTZ	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps PTZ camera, Optical zoom lens 32X (4.4-142.6mm), RS485 Up coax (ACP protocol only) PTZ control, true WDR 120dB, true D/N, 24VAC, IP66, IK10	\$ 1,470.00	8801089101143
Camera - Analog HD	SCO-6085R	AHD IR Bullet	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR bullet camera, 1/2.8" 2M CMOS, varifocal Lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 250.00	8801089156536
Camera - Analog HD	SCV-6085R	AHD IR Vandal Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR vandal dome camera, 1/2.8" 2M CMOS, Varifocal Lens (3.1X) (3.2-10mm), 60dB DWDR, true D/N, 24VAC/12VDC, IR distance 82 feet, IP66/IK10	\$ 250.00	8801089179876
Camera - Analog HD	SCD-6085R	AHD IR Dome	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps IR dome camera, 1/2.8" 2M CMOS, varifocal Lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 65.62 feet	\$ 230.00	8801089180261
Camera - Analog HD	SCB-6005R	AHD IR Box	Pentabrid compatible	Wisenet HD+ 2MP, Full HD (1080p) 30fps, 1/2.8" 2M CMOS, 60dB DWDR, RS485 Coaxial Control, true D/N, 24VAC/12VDC (Requires 2MP or higher CS Mount Lens)	\$ 159.00	8801089178756
Pentabrid						
Recording - Hybrid	HRX-1632	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 1,134.00	8801089203663
Recording - Hybrid	HRX-1632-4TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 4TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 1,614.00	84868018422
Recording - Hybrid	HRX-1632-6TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 6TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 2,094.00	84968018439
Recording - Hybrid	HRX-1632-8TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 8TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 2,574.00	84868018446
Recording - Hybrid	HRX-1632-12TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 12TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 3,054.00	84868018453
Recording - Hybrid	HRX-1632-16TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 16TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 3,534.00	84868018460
Recording - Hybrid	HRX-1632-24TB	16CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 4MP), 24TB Raw Storage TVI (up to 4MP), CVI (up to 4MP), CVBS and IP (up to 4MP), Max. Analog 16CH + NW 8CH, up to 8MP, 15/12fps@4MP, 15/12fps@2MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 80Mbps, Playback Bandwidth 32Mbps, 16CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 4,014.00	84868018477
Recording - Hybrid	HRX-83S	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 1,067.00	8801089203724
Recording - Hybrid	HRX-83S-4TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 4TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 1,547.00	84968018484
Recording - Hybrid	HRX-83S-6TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 6TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 1,787.00	84968018491
Recording - Hybrid	HRX-83S-8TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 8TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 2,027.00	84868018507
Recording - Hybrid	HRX-83S-12TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 12TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 2,507.00	84968018514
Recording - Hybrid	HRX-83S-16TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 16TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 2,987.00	84968018521
Recording - Hybrid	HRX-83S-24TB	8CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 24TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps, 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 4 SATA HDDs (6TB/HDD)	\$ 3,947.00	84968018538
Recording - Hybrid	HRX-43S	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 400.00	8801089203786
Recording - Hybrid	HRX-43S-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 2TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 640.00	84868018545
Recording - Hybrid	HRX-43S-4TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 4TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 880.00	84868018552
Recording - Hybrid	HRX-43S-6TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 6TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 1,120.00	84968018569
Recording - Hybrid	HRX-43S-8TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 8TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 1,360.00	84968018576
Recording - Hybrid	HRX-43S-12TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 12TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 2 SATA HDDs (6TB/HDD)	\$ 1,840.00	84968018583
Recording - Hybrid	HRX-434	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple code: H.265/H.264/MP4, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code . Up to 1 SATA HDDs (6TB/HDD)	\$ 334.00	8801089203847
Recording - Hybrid	HRX-434-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), 2TB Raw Storage TVI (up to 8MP), CVI (up to 8MP), CVBS and IP (up to 8MP), Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary),		

Accessory	SBP-2CTW	2x2' ceiling tile, 1.5" NPT female thread		2x2' drop ceiling tile (or half of 2x4' ceiling tile), includes suspension wire, four turnbuckles, and anchors to support from wood or concrete structures, supports up to 50lb, scratch resistant fused epoxy white finish	\$ 150.00	044701001263
Accessory	SBP-HCF	1.5" coupler		1.5" coupler, female thread on both sides, 3000	\$ 15.00	044701001262
Accessory	SBP-3SPVMB	PVM Mount		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 160.00	849688016051
Accessory	SBP-3SPVMW	PVM Mount		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 160.00	849688016051
Accessory	SBP-5SPVMB	PVM Mount		Telescopic PVM uni-strut mount, 5'-9" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 200.00	849688016052
Accessory	SBP-5SPVMW	PVM Mount		Telescopic PVM uni-strut mount, 5'-9" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 200.00	849688016052
Accessory	SBP-917PMB	PVM Mount		Telescopic PVM uni-strut mount, 9.5'-17" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 250.00	849688016046
Accessory	SBP-917PMW	PVM Mount	Freight shipment only	Telescopic PVM uni-strut mount, 9.5'-17" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white, Freight shipment only	\$ 250.00	849688016083
Accessory	SBP-917PMW1	PVM Mount	Regular shipment	Telescopic PVM uni-strut mount, 9.5'-17" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white, Regular shipment	\$ 300.00	849688017173
Accessory	STB-10PVMSC-B	PVM Mount	2 Weeks lead time	Self-checkout monitor mount, accommodates one SMT-1030PV 10" PVM, easy height adjustment, angle optimized for best view, all installation hardware and brackets included. Powder coated black color, VESA 75 x 75 mm, product weight 3lbs	\$ 150.00	849688017807
Accessory	SP1-3SB	Black Body device		8K Camera Housing w/Active Cooling and Heating - IP68 NEMA 4X, 18" Angled Glass Window for Optimal Reduction of Reflective Artifacts, 12 VDC Pass Thru Power Available to Camera, Operating Humidity: 10-100% RH (condensing) - System Maximum Operating Temperature Range: -20 to +60C	\$ 2,580.00	8801089196606
Accessory	SP1-50	IR Illuminators for the TNJ-6320	Special Order Only	IR emitter up to 200m (656 feet), 25" IR angle, 850nm wave length, 24VAC, IP67, -40C - +60C (-40F - 140F), Compatible with the TNJ-6321	\$ 2,250.00	8801089112802
Accessory	SHD-4BVB	Flush door Jamb Lens Housing (black)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), black color	\$ 150.00	044701001136
Accessory	SHD-4BVBH	Flush door Jamb Lens Housing (silver)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), silver color	\$ 150.00	044701001133
Housing	SP1-3701H	PTZ Outdoor Housing	8 weeks lead time	PTZ Housing Accessory, IP66, IK10, Built-in Heater -88F to 131F, NXP-8320E321, QNP-E230	\$ 549.00	8950207319730
Accessory	WRT-2VESA	WAVE Recording Server Mount	2 Weeks Lead Time	VESA mount + adapter for WRT-IP and WRT-IP-Micro form factor	\$ 160.00	849688019844
Accessory	WRR-P-HDDCRDL	WAVE recording server HDD Cradle		HDD cradle for WRR-IP-1U and 2U server chassis	\$ 80.00	849688011387
Accessory	SPC-302F	Wave Recording Tile Support Plate		Ceiling tile support plate for the XND-5081FZ/8081FZ, XND-5081RF/8081RF, XND-9082RF/8082RF and SHD-3000F5	\$ 160.00	849688011683
Accessory	SPC-100AC	24VAC module OTV of 10		24VAC module for the X Plus outdoor domes, compatible with QTY of 10	\$ 325.00	8801089153876
Accessory	SHB-D-9000H	8K Camera Housing with Stainless steel arm	Special Order/Contact HTA sales for Lead Time	8K Camera Housing w/Active Cooling and Heating - IP68 NEMA 4X, 18" Angled Glass Window for Optimal Reduction of Reflective Artifacts, 12 VDC Pass Thru Power Available to Camera, Operating Humidity: 10-100% RH (condensing) - System Maximum Operating Temperature Range: -20 to +60C	\$ 5,920.00	849688014960
Housing	SHB-4301HP	Fixed Housing		Indoor/Outdoor PNE Housing w/Mounting Bracket Accessory, Heater/Blower IP66	\$ 450.00	8801089167354
Housing	SHB-4300HT	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -68F-122F, 24VAC IP66	\$ 349.00	8801089048738
Housing	SHB-4200	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -31F-122F, 24VAC IP66	\$ 90.00	8801089042776
Housing	SHB-4201	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -31F-122F, 24VAC IP66	\$ 140.00	8801089050378
Accessory	SBP-302CMW	Pendant Mount (white)	4 Weeks Lead Time	Telescopic pendant mount Accessory, requires a mounting plate SBP-302CMW or SBP-302CMWB (white color)	\$ 250.00	849688016206
Accessory	SBP-302CMW	Mounting plate (white)	4 Weeks Lead Time	Mounting plate for the telescopic pendant mount SBP-302CMW (white color)	\$ 30.00	849688016213
Accessory	SBP-302CMW	Extension pendant pipe 6" (white)	4 Weeks Lead Time	Extension pendant pipe 6" long, fit the SBP-302CMWB (Mounting backbox), SBP-302CMW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 45.00	849688016220
Accessory	SBP-302CM-12W	Extension pendant pipe 12" (white)	4 Weeks Lead Time	Extension pendant pipe 12" long, fit the SBP-302CMWB (Mounting backbox), SBP-302CMW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 65.00	849688016227
Accessory	SBP-302CM-36W	Extension pendant pipe 36" (white)	4 Weeks Lead Time	Extension pendant pipe 36" long, fit the SBP-302CMWB (Mounting backbox), SBP-302CMW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 105.00	849688016244
Accessory	SBP-302CMWB	Pendant back box (white)		Back box made to fit SBP-302CMW telescopic pendant mount and the extension pipes SBP-302CMW-06, SBP-302CMW-12 and SBP-302CMW-36, White color	\$ 190.00	8801089198778
Accessory	SBP-302CMWS	Swivel adapter for pendant mount (white)	4 Weeks Lead Time/ Need SBP-302CMWB or SBP-302CMWB	Swivel adapter for pendant mount for SBP-302CMW, SBP-302CMW-06, SBP-302CMW-12, SBP-302CMW-36 and it also requires one mounting option either SBP-302CMW or SBP-302CMWB, White color	\$ 120.00	849688016251
Accessory	SBP-302CMASW	Swivel Joint + Telescopic pendant mount (white)	4 Weeks Lead Time	Telescopic pendant mount accessory with 90 degrees swivel joint, 4.5" to 8" adjustable, includes SBP-302CMW for ceiling mount, White color	\$ 400.00	849688016268
Monitor						
Monitor	SMT-4343	2160p 43" LED Monitor		43" LED Monitor, 2160p (4K), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm/400x200mm)	\$ 2,260.00	88010890203854
Monitor Set	SMT-4343S	43" Monitor Set (Monitor+Desktop Stand)		43" LED Monitor, 2160p (4K), DVI, HDMI, VGA, CVBS, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm/400x200mm) + Single monitor desktop stand, compatible with SMT-4343 monitor, black color, 100x100 VESA mountable	\$ 2,160.00	849688019415
Monitor	SMT-3230PV	32" PVM monitor (Black)	2 Weeks lead time, For orders greater than 80, apply 14 Weeks lead time	32" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, HDMI input, slide show & live video, power supply included (12VDC)	\$ 2,140.00	8801089191687
Monitor	SMT-3211PVM-PIP	32" PVM with PIP	Special order	32" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, PIP, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	\$ 3,999.00	849688011089
Monitor	SMT-3211PVM	32" Without PIP	Special order	32" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	\$ 3,499.00	849688011072
Monitor	SMT-2730PV	27" PVM monitor (Black)	2 Weeks lead time, For orders greater than 80, apply 14 Weeks lead time	27" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, HDMI input, slide show & live video, power supply included (12VDC)	\$ 1,980.00	8801089191663
Monitor	SMT-2701PVM	27" IP PVM Monitor (Black)	Special order	27" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	\$ 2,699.00	849688009291
Monitor	SMT-2233	1080P 22" LED monitor		22" LED Monitor, 1080p (1920x1080), 2 BNC loop through, HDMI, VGA, 4:3 aspect ratio, Built-in Speaker (2W), Tempered Glass, VESA DPM Compatible	\$ 990.00	6950207318405
Monitor	SMT-1935	4.3 19" LED Monitor		19" LED Monitor, 600TVL (1280 x 1024), 2 BNC Loop Through, HDMI, VGA, 4:3 aspect ratio, Built-in Speaker (2X1W), VESA DPM Compatible	\$ 690.00	6950207359993
Monitor	SMT-1030PV	10" PVM monitor (Black)	2 Weeks lead time, For orders greater than 80, apply 14 Weeks lead time	10" IP public view monitor, 1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (75 x 75mm), black casing, face detection display for visual deterrent, 2MP IP camera built-in, 4.6mm fixed lens(7.8" H), 150dB WDR, H.265/H.264/MJPEG, slide show & live video, power supply included (12VDC) or PoE+ powered	\$ 1,000.00	8801089191656
Monitor Stand	SBM-4343	43" Desktop Stand		Single monitor desktop stand, compatible with SMT-4343 monitor, black color, 100x100 VESA mountable	\$ 100.00	8801089197265
Controllers						
Analogue - Controller	SPC-2010	Controller		Controller, 3D joystick, 2 line text LCD display, built-in jog shuttle, up to 255 PTZ/zoom cameras, RS-485, DVR, supports Multi-protocol	\$ 898.00	8801089019493
Analogue - Controller	SPC-1010	Controller		Controller, PTZ joystick controller, 2 line text LCD display, up to 255 PTZ/zoom cameras, RS-485	\$ 499.00	8801089048792
Network - Controller	SPC-2000	Controller		Controller, USB 3D joystick	\$ 798.00	8801089046536
Power Supplies						
Power Supply	PWR-P-POE15	15W PoE Injector		PoE Injector, 15W, 10/100/1000Mbps Base-T, AC100-240V Input, 50/60Hz, 54VDC/0.3Amp Output, CE/FCC Compliant, LED Indicator for Power and Network, Operational Temperature:32°F - 104°F (0° - 40°C)	\$ 75.00	8801089043221
Power Supply	PWR-P-POE30	30W PoE+ injector		PoE+ injector, 30W, 10/100/1000Mbps Base-T, AC100-240V Input, 50/60Hz, 54VDC/0.6Amp Output, CE/FCC Compliant, LED Indicator for Power and Network, Operational Temperature 32°F - 104°F (0° - 40°C)	\$ 99.00	8801089043238
Power Supply	PWR-DR12033	DIN Rail Mounting 33W Hardened Power Supply		12VDC 33Watt (2.75A) DIN Rail High Temp Power Supply (+40C to +71C With -40C Start-Up)	\$ 190.00	849688012277
Power Supply	PWR-24AC-1-3-ULW	Outdoor 24 VAC		Power supply, 24 VAC, 1 Output, 3 Amps, Nema 4X Enclosure, UL Listed, 110V only	\$ 205.00	849688000441
Power Supply	PWR-24AC-50VA-UL	Indoor 24 VAC		Power supply, 24VAC 50VA, UL Listed, 110V only	\$ 27.00	849688000488
Open Platform Application License						
Open Platform Application License	OP-A2FMD-01	Single Camera License		One Camera License for Face Mask Detection Open Platform Application from AI Technology. To be installed on Compatible X-Series Cameras (XNB-6000, XND-6008R, XND-6010R, XND-6008R, XND-6120R, XNB-6080, XNV-6010, XNV-6020R, XNV-6120R, XNV-6120, XNV-6011, XND-6080, XND-6080R, XND-6080V, XND-6080R, XND-6010, XND-6020R, XND-6011F)	\$ 500.00	849688015025
Services						
Service	DIN-SSDA006/CO	On-site engineering service	Service per Day	This is an on site engineering service that will be provided by one of Hanwa Techniv B2B security division trained personnel for our STEP dealers to help configuring or training on product including cameras, recorders and software. This SKU is for one day, if multiple days are needed please reflect that by increasing the QTY of the SKU	\$ 3,000.00	N/A
Service	DIN-SSDA003/CO	Professional Firmware Customization	Service per Day	This is a professional firmware customization service that will be provided by Hanwa Techniv B2B security R&D Division to provide valuable functions on our network cameras and network recorders. This SKU is for one day engineering cost. For more details please contact us by emailing projectsales@hanwa.com	\$ 500.00	N/A
Service	DIN-SSDA008/CO	Remote engineering service	Service per Day	This is a remote engineering service that will be provided by a Hanwa Techniv B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. A reliable phone connection and internet connection (for a connection to the surveillance system via a remote desktop software) is required to be provided by the STEP partner. This SKU is for one day. If multiple days are needed please reflect that by increasing the QTY of the SKU	\$ 2,000.00	N/A

Disclaimer:

We put our best effort and knowledge to maintain the accuracy of specifications and price. Should there be any discrepancies we reserve the right to follow our specifications and price set. Thanks for your understanding.